



Better Blood Testing is Better Patient Care

# JAN SEWA COMPUTERISED LAB

Reality/Reliability/Responsibility

99928-17022, 82220-13603

Opp. Civil Hospital, Model Town  
Fatehabad-125050 (Hry.)

LAB No.	LB-0000113	Name	MRS. ANJU
Sex	F	Show Printed	07/08/2024 13:58
		Date	

## HAEMATOLOGY ROUTINE

Test Name	Result	Units	Normal Range
HAEMOGLOBIN	<u>6.6</u>	gm%	(12-16)
TOTAL LEUCOCYTE COUNT	9900	cell/cum m	(4000-11000)
<b>D.L.C</b>			
POLYMORPH	<u>71</u>	%	(40-70)
LYMPHOCYTES	24	%	(20-40)
EOSINOPHILS	03	%	(01-06)
MONOCYTES	02	%	(0-02)
BASOPHILS	00	%	(0-01)
RED BLOOD CELLS	<u>2.39</u>	Millions	(3.5-5.5)
PLATELET COUNT	<u>151000</u>	lakhs/cu mm	(1.5-4.5)
P.C.V.	<u>21.3</u>	%	(35-50)
M.C.V.	89.1	fl	(76-96)
M.C.H	27.6	pg	(27-32)
M.C.H.C.	31	%	(31-35)
HCT	21.3		
PDW	15.1		
MPV	10.8		
RDWCV	12.9		

Spl. : Dr. Lal Path Lab SRL Thyrocare.

LAB TECHNOLOGIST

Although very care has been taken while performing the test, result may vary from lab to lab depending upon the quality, condition of storage of the reagent used, and other human error. Not for medico legal purpose.



Scanned with OKEN Scanner

LAB No.	LB-0000113	Name	MRS. ANJU
Sex	F	Show Printed	07/08/2024 13:58
		Date	

BIOCHEMISTRY TEST

Test Name	Result	Units	Normal Range
S.BILIRUBIN (TOTAL) :	0.42	mg/dl	(0.1-1.2)
S.BILIRUBIN ( DIRECT) :	0.15	mg%	(--0.3)
S.BILIRUBIN (INDIRECT) :	0.27	mg/dl	(0.1-1)
S.G.O.T :	21.0	mg%	(05-40)
S.G.P.T :	24.9	U/L	(UPTO-40)
TOTAL PROTEINS :	7.9	gm%	(6.0-8.0)
ALBUMIN :	4.2	gm%	(3.7-5.3)
GLOBUMIN :	<u>3.7</u>	gm%	(2.3-3.6)
S.ALKALINE PHOSPHATASE :	88.0	U/L	(80-290)
NORMAL RANGE AGE < 15YRS. : 250 - 770.			
BLOOD UREA :	<u>170.0</u>	mg%	(20-40)
S.CREATININE :	<u>8.9</u>	mg%	(0.6-1.1)
S.URIC ACID :	4.8	mg%	(3.4-7.0)
S.SODIUM :	138.0	mEq/l	(135-155)
S.POTASSIUM :	3.7	mEq/l	(3.5-5.5)
S.CALCIUM :	9.0	mg%	(8.6-10.6)

Spl. : Dr. Lal Path Lab SRL Thyrocare.

LAB TECHNOLOGIST

Although very care has been taken while performing the test, result may vary from lab to lab depending upon the quality, condition of storage of the reagent used, and other human error. Not for medico legal purpose.