

MAHARSHI DEVARHA BABA

AUTONOMOUS STATE MEDICAL COLLEGE DEORIA, UTTAR PRADESH
CENTRAL LAB

"AN ISO 9001:2015 CERTIFIED LABORATORY"

Date : 11-Apr-2024

Reg/Ref: 981082401855808 / 463891 Collected At : DHD

Name : MS. LALITA DEVI

Age/Gender : 48 Yrs./Female

Ref.By : Dr.

Phone : 8988888888

Ward : OPD

Receipt : NA

Requested Test : CBC, LFT, KFT, Elec, HBSAG, HCV

Call Time : 11-Apr-2024 08:51 AM

Validate : 17-Apr-2024 03:36 PM

Prn. Time : 17-Apr-2024 03:36 PM

Investigation

Observed Values

Units

Biological Ref. Interval

LIVER FUNCTION TEST

BIOCHEMISTRY

Serum Bilirubin, Total	0.40	mg/dl.	0 - 1.2
Serum Bilirubin, Direct	0.17	mg/dl.	0 - 0.4
Serum Bilirubin, Indirect	0.23	mg/dl.	0.2 - 0.8
Serum Proteins	6.41	gm/dL.	6.0 - 8.0
Serum Albumin	3.5	gm/dL.	3.8 - 5.1
Serum Globulins	2.91	gm/dL.	2.5 - 3.5
Serum A/G Ratio	1.2 : 1	Ratio	Up to 3.0
SGOT	23.5	IU/L	UP TO 40
SGPT	15.5	IU/L	0 - 240
Serum Alkaline Phosphatase	179.6	IU/L	
KIDNEY PANEL			
Serum Urea	32.0	mg/dL.	13 - 43
Serum Creatinine	3.650	mg/dL.	0.6 - 1.2
Serum Uric Acid	14.95	mg/dl	2.6-6.0
ELECTROLYTE			
Serum Sodium (Na+)	138.0	meq/l	120 - 160
Serum Potassium (K+)	3.38	meq/l	2.8 - 6.2
Serum Ionic Calcium	3.40	mg/dL	

Report Status : Final, Revised

"हम आपके शीघ्र स्वस्थ होने की कामना करते हैं"

----- End of report -----

Technician

Signed by Biochemist

Signed by Pathologist

