



Dr. Santosh Path Lab

Highly Accurate Laboratory
Participation in EQAS Programme



Dr. Santosh Kr. Chaurasia
M.B.B.S., M.D. (Path, SNMC Agra)
Reg. No. 9275

Shop No. 10, 11,12, Chaturvedi Complex, Infront of DIG, Bungalow, 33 Kasia Road, Bilandpur - Gorakhpur
drsantoshpathlab@gmail.com, Web: drsantoshpathlab.com +91 9651619925, 0551-3537042

Patient Name : MR. MOHD IRFAN

Age / Gender : 36 years / Male

Mobile No. : -

Patient ID : 133789

Source : DIRECT

Referral : DR.VIJAY PRATAP SINGH

Collection Time : 17/09/2024, 11:46 AM

Receiving Time : 17/09/2024, 11:46 AM

Reporting Time : 17/09/2024, 12:53 PM

Sample ID :



002926124

Test Description	Value(s)	Reference Range	Unit(s)
HAEMATOLOGY			
Complete Blood Count			
Hemoglobin Method : Photometric measurement	10.2	13.0-17.0	g/dL
Total Leucocyte Count (TLC) Method : Impedance	13830	4000-10000	cumm
Differential Leucocyte Count (DLC)			
Neutrophils Method : VCS Technology & Microscopy	68	40 - 80	%
Lymphocytes Method : VCS Technology & Microscopy	22	20 - 40	%
Eosinophils Method : VCS Technology & Microscopy	06	1 - 6	%
Monocytes Method : VCS Technology & Microscopy	04	2 - 10	%
Basophils Method : VCS Technology & Microscopy	00	0 - 2	%
Absolute Neutrophil Count Method : Calculated	9404.40	2000 - 7000	Cells/ μ L
Absolute Lymphocyte Count Method : Calculated	3042.60	1000 - 3000	Cells/ μ L
Absolute Eosinophil Count Method : Calculated	829.80	20 - 500	Cells/ μ L
Absolute Monocyte Count Method : Calculated	553.20	200 - 1000	Cells/ μ L
Absolute Basophil Count Method : Calculated	00	20 - 100	Cells/ μ L



S. Chaurasia
Dr. SANTOSH KUMAR CHAURASIA
MBBS, MD (Pathologist SNMC, Agra)

24 घण्टे सेवा उपलब्ध | कोविड- 19 RTPCR जाँच की सुविधा उपलब्ध है। | घर से सैम्पल कलेक्शन की सुविधा उपलब्ध | Not for medico legal purpose.

This is only a professional opinion. If may be correlated clinically. The result of the investigation are alarming unexpected, the Patient / Consultant is advised to contact the lab immediately for recheck. Page 1 of 3



Dr. Santosh Path Lab

Highly Accurate Laboratory
Participation in EQAS Programme



Dr. Santosh Kr. Chaurasia
M.B.B.S., M.D. (Path, SNMC Agra)
Reg. No. 9275

Shop No. 10, 11,12, Chaturvedi Complex, Infront of DIG, Bungalow, 33 Kasia Road, Bilandpur - Gorakhpur
Email: drsantoshpathlab@gmail.com, Web: drsantoshpathlab.com Phone: +91 9651619925, 0551-3537042

Patient Name : MR. MOHD IRFAN

Age / Gender : 36 years / Male

Mobile No. : -

Patient ID : 133789

Source : DIRECT

Referral : DR.VIJAY PRATAP SINGH

Collection Time : 17/09/2024, 11:46 AM

Receiving Time : 17/09/2024, 11:46 AM

Reporting Time : 17/09/2024, 12:53 PM

Sample ID :



002926124

Test Description	Value(s)	Reference Range	Unit(s)
Platelet Count	296	150 - 410	tho/ μ L
P. C. V. (hematocrit)	31.9	36 - 46	%
Method : Impedance			
M. C. V.	91.6	83 - 101	fL
Method : Calculated			
M. C. H	29.2	27 - 32	pg
Method : Calculated			
M. C. H. C	31.9	31.5 - 34.5	g/dL
Method : Calculated			
R. B. C	3.48	4.5 - 5.5	mill/ μ L
Method : Impedance			
R.D.W-C.V	15.5	11.9 - 15.5	%
Method : Calculated			
R.D.W- SD	53.9	39 - 45	fL
Method : Calculated			
PDW	15.9	-	fl
Method : Calculated			
MPV (Mean Platelet Volume)	9.6		fL
Method : Calculated			
P-LCR	23.9		%
PCT	0.28		%

BIOCHEMISTRY

Serum Creatinine	10.73	0.7-1.4	mg/dl
Method : Jaffe,s Kinetic			



S. Chaurasia
Dr. SANTOSH KUMAR CHAURASIA
MBBS, MD (Pathologist SNMC, Agra)

24 घण्टे सेवा उपलब्ध | कोविड- 19 RTPCR जाँच की सुविधा उपलब्ध है। | घर से सैम्पल कलेक्शन की सुविधा उपलब्ध | Not for medico legal purpose.

This is only a professional opinion. If may be correlated clinically. The result of the investigation are alarming unexpected, the Patient / Consultant is advised to contact the lab immediately for recheck.



Dr. Santosh Path Lab


Highly Accurate Laboratory
Participation in EQAS Programme



Dr. Santosh Kr. Chaurasia
M.B.B.S., M.D. (Path, SNMC Agra)
Reg. No. 9275

Shop No. 10, 11, 12, Chaturvedi Complex, Infront of DIG, Bungalow, 33 Kasia Road, Bilandpur - Gorakhpur
Email: drsantoshpathlab@gmail.com, Web: drsantoshpathlab.com ☎ +91 9651619925, 0551-3537042
Patient Name : MR. MOHD IRFAN Referral : DR. VIJAY PRATAP SINGH

Age / Gender : 36 years / Male
Mobile No. : -
Patient ID : 133789
Source : DIRECT

Collection Time : 17/09/2024, 11:46 AM
Receiving Time : 17/09/2024, 11:46 AM
Reporting Time : 17/09/2024, 12:53 PM
Sample ID : 
002926124

Test Description	Value(s)	Reference Range	Unit(s)
Urea Method : Urease - GLDH Kinetic	107.92	19 - 44	mg/dL



S. Chaurasia
Dr. SANTOSH KUMAR CHAURASIA
MBBS, MD (Pathologist SNMC, Agra)

24 घण्टे सेवा उपलब्ध

कोविड- 19 RTPCR जाँच की सुविधा उपलब्ध है।

घर से सैम्पल कलेक्शन की सुविधा उपलब्ध

Not for medico legal purpose.

This is only a professional opinion. It may be correlated clinically. The result of the investigation are alarming unexpected, the Patient / Consultant is advised to contact the lab immediately for recheck.