

MAHARSHI DAYANAND SARASWATI DISTRICT HOSPITAL

MATHURA DEPARTMENT OF PATHOLOGY "AN ISO 9001:2015 CERTIFIED LABORATORY"

Date : 08-Jul-2024 Reg/Ref: 155 / 293876 Collected At : DMH
Name : MRS. SAIL KUMARI Age/Sex : 72 Yrs./Female
Ref.By : Dr. _____
Receipt : NA
Requested Test : CBC, LFT, KFT, CALCIUM, HBSAG, HCV

Investigation Observed Values Units Biological Ref. Interval

HAEMATOLOGY

Investigation	Observed Values	Units	Biological Ref. Interval
Complete Blood Count			
Haemoglobin	6.3	g/dL	11.5 - 15
Total Leucocyte Count (TLC)	10100	cells/mm ³	4000- 11000
Differential % Leucocyte Counts:			
Segmented Neutrophils	84	%	40 - 80
Lymphocytes	11	%	20 - 40
Eosinophils	03	%	1 - 6
Monophils	02	%	2-10
Bosophils	00	%	
Platelet Count	133000	cells/mm ³	150000 - 450000
Total RBCs	2.29	million cells/mm ³	3.8 - 4.8
MCV (Mean Cell Volume)	78.8	fl.	80 - 100
MCH (Mean Corpus. Haemoglobin)	27.6	pg	27 - 32
MCHC (Mean Corpus. Hb Conc.)	35	g/dl	32 - 35
RDWA	52.7	fL	37.0-54.0
RDWR	13.5	%	11.5 - 14.5
PCV (Packed Cell Volume)	18.1	%	36 - 46

BIOCHEMISTRY

Investigation	Observed Values	Units	Biological Ref. Interval
LIVER FUNCTION TEST			
Serum Bilirubin, Total	0.3	mg/dl.	0.2 - 1.0
Serum Bilirubin, Direct	0.1	mg/dl.	0 - 0.4
Serum Bilirubin, Indirect	0.2	mg /dl.	0.2 - 0.7
Serum Proteins	6.4	gm/dL.	6.0 - 8.3
Serum Albumin	4.20	gm/dL.	3.5 - 5.0
Serum Globulins	2.2	gm/dL.	2.5 - 3.5
Serum A/G Ratio	1.91 : 1	Ratio	
SGOT	23.69	IU/L	Up to 32
SGPT	32.10	IU/L	UP TO 40

Checked By :-
Lab Technician/Lab Pathologist

MAHARSHI DAYANAND SARASWATI DISTRICT HOSPITAL

MATHURA DEPARTMENT OF PATHOLOGY "AN ISO 9001:2015 CERTIFIED LABORATORY"

Date	: 08-Jul-2024	Reg/Ref: 155 / 293876	Collected At : DMH
Name	: MRS. SAIL KUMARI	Age/Sex	: 72 Yrs./Female
Ref.By	: Dr. _____		
Receipt	: NA		
Requested Test	: CBC, LFT, KFT, CALCIUM, HBSAG, HCV		

Investigation	Observed Values	Units	Biological Ref. Interval
KIDNEY PANEL			
Serum Urea	82.8	mg/dL.	10- 45
Serum Creatinine	4.0	mg/dL.	0.5-1.5
BUN	38.69		
Serum Calcium, Total	7.0	mg/dl.	8.2 - 10.2

SEROLOGY

HBsAg Rapid (Immunochromatography)	NEGATIVE
---------------------------------------	----------

HCV
HCV

NEGATIVE

----- End of report -----

Checked By :-
Lab Technician/Lab Pathologist

Marked in NABL scope