of Po-OHTICCalent 165-2 30kg 4956.0 JD-Roc-10 02 Big Blue Filter (20x4)11 383.5 10PC8 3835. wobr 8506000594 StockNo. of Boxes Received 4.4. Subject to Physical Check. Name/Employee Code. F.G. M. M. ADO 97 Center Name		07AAKFJ0232F1ZRCHALLANDDDJD CHEMICALS (An ISO 9001 : 20 A Complete Range Of Water Treatment & R.o. Syst 18/347, DDA Flats, Da Ph. : 011-26059523, 9971199523, 95603	15 Q.M.S.) tem Manufactu kshin Puri I	Certif ires of : Extn	ied Company All Water Treatment New Delhi-1100	Chemicals & Equipment
Str. NO. Description of Goods Rate Qty. Amount 01 Po - Oriticalent 165-2 30kg 4956.0 JD - RX-10 JD - RX-10 383.5 10 PC\$ 383.5 02 Big Blue Filter (Sex 41)1 383.5 10 PC\$ 383.5. NOD-1 B50600594 383.5. 10 PC\$ 383.5. Stock/No. of Boxes ReceivedL. Subject to Physical Check 10 PC\$ 383.5. Non-1 B50600594 BCADON BCADON BCADON Stock/No. of Boxes ReceivedL. Subject to Physical Check 10 PC\$ 383.5. Non-1 B50600594 BCADON BCADON BCADON Barbind above model BCADON BCADON BCADON	Name Address	medical Silercol To Sam Roa	d		L L (
$JD - Rol - 10$ $JD - Rol - 10$ $D_{g} Blue Filter (2exu)'' = 383.5$ $rocs = 383.5$ $rocs = 383.5$ $rocs = 850600594$ $Stock/No. of Boxes Received 14 Subject to Physical Check, Name/Employee Code 6 10 (ADD 97) Centre Name$	Sr. No.	Description of Goods	Rate			
Stock/No. of Boxes Received)	JD-Roc-10	165-2		30 kg	4956.0
Subject to Physical Check Name/Employee Code	02		383	5	10PCB	3835.
Received above reads to the two		Stock/No. of Boxes Received	0594			
Received above goods in good condition For JD CHEMICALS & WATER SOLUTION			(GRA		AL 8791.
	Receive	d above goods in good condition	For JD C	HEN	AICALS & V	VATER SOLUTIO

Receiver's Signature

100.1

Authorized Signati